


Phone: 800.221.7379 info@bendheim.com

White Laminated Glass "Tuxedo" with a Light Texture



| _ | | | | | | | | |
|---|---|---|----|----|---|----|---|---|
| Δ | n | n | li | ca | 1 | in | n | ٠ |
| _ | v | v | • | u | | v | | |

Interior

Composition:

Low-iron glass

Approx Dimensions:

Cut-to-size; max. size = 59" x 63" (1.5 m x 1.6 m); thickness = 1/4" (6 mm). Available in thicknesses up to 3/4" (19 mm) by special request.

Approx Weight:


3 lb/ft² (14.5 kg/m²)

Safety Options:

Laminated

Maintenance:

Bendheim glass is easy to maintain. We suggest cleaning with warm water and a lint free cloth (terry cloth). Conventional non-abrasive glass cleaners may also be used.





Phone: 800.221.7379 info@bendheim.com

Testing:

Bendheim safety glass meets the requirements for ANSI Z97.1 & the Consumer Product Safety Commission CPSC 16FR, Part 1201 – Safety Standard for Architectural Glazing Materials.


Potential Leed Credit:

- EA Credit 1: Optimize Energy Performance
- IEQ Credit 8.1: Daylight & Views: Daylight 75% of Spaces
- IEQ Credit 8.2: Daylight & Views: Views for 90% of Spaces




Phone: 800.221.7379 info@bendheim.com

Options & Customizations:



A range of custom opacities:



Laminated to mirror for wall cladding applications:

Have a project requiring further customization? Please contact your local

Bendheim representative to discuss your unique project and vision.